



SHINING 3D[®]

FOR MORE SHINING IDEAS

EINSCAN-SE/SP DESKTOP 3D SCANNER



MAXIMIZE THE SCANNING CAPABILITY ON YOUR DESKTOP



FEATURES

Wide scan range from small to large

Scanning with turntable by automatic scan or on tripod by manual are available according to the size of objects

Easy operation, user-friendly workflow and faster scanning

One-click scanning
Automatic calibration without rigid set-up

Compatible with 3D printers

Auto meshing to watertight 3D data for 3D printing

Fine detail



Reconstruct the geometry of the object with fine detail

Safety in use

Visible white light, no laser, safe to human eyes

Scan in color

Easy reconstruct 3D model of the physical objects with color texture



EinScan-SE

A powerful companion for educators and individuals

- Provides simple 3D scanning experience for non-technical users
- Wide scan range from small to large
- Easy operation and a high price-to-performance ratio

EinScan-SP

The expert choice with enhanced experience

- High accuracy better than 0.05mm based on precision calibration in an easy way
- Faster scanning speed
- Multiple align modes
- Make high-resolution 3D modeling accessible to professional users

Model	EinScan-SE	EinScan-SP
Scan Accuracy	0.1 mm (Single Shot Accuracy)	0.05 mm (Single Shot Accuracy)
Scan Speed (single scan time)	<8 s	<4 s
Scan Speed (turntable single lap time)	<2 min	<1 min
Maximum Scan Size	700×700×700 mm	1200×1200×1200 mm
Align Mode		
Manual	√	√
Feature	√	√
Turntable	√	√
Turntable Coded Targets	×	√
Markers	×	√

APPLICATIONS



Education

K12 education, vocational school, college and university



Design & Art

High-quality 3D design, 3D printing applications, reverse engineering



Digital Industry

Animation, CG, VR&AR



Archiving and Sharing

3D digital archiving, data sharing

TECHNICAL SPECIFICATIONS

EINSCAN-SE

Model	EinScan-SE	
Scan Mode	Fixed Scan with Turntable	Fixed Scan without Turntable
Align Mode	Feature; Manual; Turntable	Feature; Manual
Scan Accuracy	≤0.1 mm (Single Shot Accuracy)	
Minimum Scan Volume	30 mm × 30 mm × 30 mm	
Maximum Scan Volume	200 mm × 200 mm × 200 mm	700 mm × 700 mm × 700 mm
Single Scan Range	200 mm × 150 mm	
Scan Speed	Single Scan <8 s	
Point Distance	0.17 mm ~ 0.2 mm	
Texture	Yes	
Output Format	OBJ, STL, ASC, PLY, 3MF	
Camera Resolution	1.3 Mega Pixels	
Light Source	White Light	
Working Distance	290 mm ~ 480 mm	
Computer Requirements (Required)	USB: 1 ×USB 2.0 or 3.0; OS: Win10 (64 bit) ; CPU: Dual-core i5; RAM: 8 G	
Computer Requirements (Recommended)	Graphics card: Nvidia series; Graphics memory > 1G	
Net Weight	2.5 kg	
Calibration Board	Standard	
Turntable	Standard	
Turntable Loading Capacity	5 kg	

*Notice: SHINING 3D reserves the right to explain any alteration of the specifications and pictures.

TECHNICAL SPECIFICATIONS

EINSCAN-SP

Model	EinScan-SP	
Scan Mode	Fixed Scan with Turntable	Fixed Scan without Turntable
Align Mode	Turntable; Feature; Markers; Manual; Turntable Coded Targets	Feature; Markers; Manual
Scan Accuracy	≤0.05 mm (Single Shot Accuracy)	
Minimum Scan Volume	30 mm × 30 mm × 30 mm	
Maximum Scan Volume	200 mm × 200 mm × 200 mm	1200 mm × 1200 mm × 1200 mm
Single Scan Range	200 mm × 150 mm	
Scan Speed	Single Scan <4 s	
Point Distance	0.17 mm ~ 0.2 mm	
Texture	Yes	
Output Format	OBJ, STL, ASC, PLY, 3MF, P3	
Camera Resolution	1.3 Mega Pixels	
Light Source	White Light	
Working Distance	290 mm ~ 480 mm	
Computer Requirements (Required)	USB: 1 ×USB 2.0 or 3.0; OS: Win10 (64 bit) ; CPU: Dual-core i5; RAM: 8G	
Computer Requirements (Recommended)	Graphics card: Nvidia series (GTX 660 or higher) ;Graphics memory > 2 G; RAM: 16 G	
Net Weight	4.2 kg	
Calibration Board	HD	
Turntable	Turntable with coded targets	
Turntable Loading Capacity	5 kg	

*Notice: SHINING 3D reserves the right to explain any alteration of the specifications and pictures.